INDEX

Acetic acid. See Acid, acetic. Page
Acid—
acetic—
effect on apples in storage ... 215
in sunflower silage ... 326
aconitic, in juice of *Sorghum vulgare* ... 17–22
butyric, in sunflower silage ... 326
citric, in juice of *Sorghum vulgare* ... 17–22
formic, effect on apples in storage ... 215
hydrocyanic, in Sudan grass ... 447–450
lactic, in sunflower silage ... 326
malic, in juice of *Sorghum vulgare* ... 17–22
oxalic, in juice of *Sorghum vulgare* ... 17–22
propionic, in sunflower silage ... 326
sulphuric, effect on germination of barley pollen ... 532
tartaric, in juice of *Sorghum vulgare* ... 17–22
Acid soils, effect of carbonates of calcium and magnesium ... 119–125
Acidity of—
acid soils, effect of carbonates of calcium and magnesium ... 122–124
cereal products, method of measuring ... 33–49
sunflower silage ... 326
water-free composts ... 331–332, 336
Acids—
amino, in cereal grains ... 391, 397–398
toxic limits ... 272
Aconitic acid. See Acid, aconitic.
Acremonium cleoni. Syn. *Sorosporella uvella*.
Aerobic bacteria in acid soils treated with carbonates of calcium and magnesium ... 119–124
Agropyrum—
caninum, host plant of *Oscinis frit* ... 471
repens, host plant of *Oscinis frit* ... 471
tenerum, host plant of *Oscinis frit* ... 471
Agrotis—
segetum, host of *Sorosporella agrotidis* ... 401
ypsilon—
at light traps ... 477–481
host of *Sorosporella uvella* ... 405, 432–436
Albuminoid nitrogen in juice of *Sorghum vulgare* ... 20–22
Albumins, protein in *Zea mays* ... 391
Alcohol—
effect on apples in storage ... 215–216
ethyl, effect on apples in storage ... 215
Aldrich, J. M. (paper): European Frit Fly in North America ... 451–474
Alfalfa, brown and black—
feeding value ... 303–304
loss of organic matter ... 299–304
"Alkali." soils, effect of lime on salts ... 347
Alkaline salts, toxic limits ... 271
Allard, H. A., and Garner, W. W. (paper): Effect of the Relative Length of Day and Night and Other Factors of the Environment on Growth and Reproduction in Plants ... 553–606
Almond, Indian. See *Terminalia catappa*. Page
Alternaria spp., effect of dry heat ... 381–390
Alum, potassium, effect on sodium-chlorid tolerance of wheat seedlings ... 352
Aluminum oxid, effect of sodium-sulphate tolerance of wheat seedlings ... 353
Alypia octomaculata at light traps ... 477–481
Ambrosia artemisiifolia, effect of relative length of day and night ... 565
Amid nitrogen in juice of *Sorghum vulgare* ... 20–22
Amino acids. See Acids, amino.
Ammonium—
nitrate, effect on yield in acid soils ... 121–122
sulphate, toxic limits ... 272–274
Amygdalus persica, host fruit of *Ceratitis capitata* ... 442–446
Anaerobic bacteria in acid soils treated with carbonates of calcium and magnesium ... 119–124
Anisota rubicunda at light traps ... 477–481
Annuals, relationship to biennials and perennials ... 579–581
Anthony, Stephen, and Harlan, Harry V. (paper): Germination of Barley Pollen ... 525–535
Anuraphis malifoliae, reproductive period ... 321
Apantesis—
persephone at light traps ... 477–481
virgo at light traps ... 477–481
villata at light traps ... 477–481
Aphis, apple-grain ... 311–324
Aphis—
avenae. Syn. *Rhopalosiphum prunifoliae*.
cerasifoliae. Syn. *Rhopalosiphum prunifoliae*.
pomi, apterous and alate forms ... 316
pseudoavenae. Syn. *Rhopalosiphum prunifoliae*.
Apple, rose. See *Eugenia jambos*.
Apple-Grain Aphis (paper) ... 311–324
Apple-scald—
effect of—
aeration ... 221–225
air-cooled storage ... 225–227
carbon dioxid ... 213–215
delayed storage ... 221–223
gas absorbents ... 216–217, 223–236
humidity ... 211–212
maturity of fruit ... 220–221
orchard conditions ... 218–219
oxygen ... 212
ozone ... 212–213
storage packages ... 230–233
temperature ... 219–220, 223–225
tissues affected ... 217
Arachis hypogaea, host of *Sclerotium rolfsii* ... 127–128
Army worm. See *Prodenia eridania*.
Arsilonche albovenosa at light traps ... 477–481
Ash—
bone, in poultry rations ... 394
in brown and black alfalfa ... 301–303

Ash—Continued Page
in poultry feces 394
in *Sorghum vulgare* 4-30
in sunflower and corn silage 327
in yellow-berry wheat 167
Asparagin in juice of *Sorghum vulgare* 21-22
Aspergillus, blue. See *Aspergillus sydowi.*
Aspergillus—
flavus, enzymic activity of spores 195-209
niger, enzymic activity of spores 195-209, 539-542
sydowi, enzymic activity of spores 537-542
Aster linariifolius, effect of relative length of day and night 564
Atanasoff, D., and Johnson, A. G. (paper): Treatment of Cereal Seeds by Dry Heat 379-390
Attera aurea at light traps 478-481
Autographa—
biloba at light traps 477-481
brassicae at light traps 477-481
simplex at light traps 477-481
Automeris io at light traps 477-481
Avena sativa—
bacterial blight, effect of dry heat 386-390
host plant of *Oscinis frit* 471
method of measuring acidity 33-49
Averrhoa carambola, host fruit of *Ceratitis capitata* 442-446
Awned wheat-grass. See *Agropyrum caninum.*
Azelina ancetaria at light traps 477-481
Bacteria, in acid soils, effect of carbonates of calcium and magnesium 122-124
Bacterial blight—
of barley, effect of dry heat 386-390
of oats, effect of dry heat 386-390
Bacterial Blight of Soybean (paper) 179-194
Bacterium—
atrofaciens, n. sp., causal organism of basal glumerot of wheat 543-552
glycineum, n. sp.—
cultural characters 183-187
desiccation 188
inoculation experiments 190-191
morphology 182
overwintering, dissemination, and control 191-192
temperature relations 187-188
variation among strains 189-190
translucens, effect of dry heat 386-390
Baker, A. C., and Turner, W. F. (paper): Apple-Grain Aphis 311-324
Barium—
chlorid, effect on—
sodium-chlorid tolerance of wheat seedlings 352
sodium-sulphate tolerance of wheat seedlings 352-353, 356
effect on permeability of protoplasm 273
Barley. See *Hordeum* spp.
Barnyard grass. See *Echinochloa crusgalli.*
Basal glumerot of wheat—
cultural characters 544-549
description 549-550
Basal Glumerot of Wheat (paper) 543-552
Beans— Page
lima. See *Phaseolus lunatus.*
See *Phaseolus vulgaris.*
Beetles, calosoma. See *Calosoma sycophanta.*
Beets. See *Beta vulgaris.*
Beggar-ticks. See *Bidens frondosa.*
Bermuda grass. See *Capriola dactylon.*
Beta vulgaris—
effect of carbonates of calcium and magnesium on yield in acid soils 121-122
host of *Sclerotium rolfsii* 127, 128
Bicarbonate—
calcium, effect on root growth of citrus seedlings 269, 270
sodium, effect of—
calcium oxid on toxicity to wheat seedlings 353
magnesium sulphate on toxicity to wheat seedlings 353
potassium chlorid on toxicity to wheat seedlings 353
sodium nitrate on toxicity to wheat seedlings 353
Bidens frondosa, effect of relative length of day and night 600
Biennials, relationship to annuals and perennials 579-581
Biomyia georgiae, parasite of *Calosoma sycophanta* 483-484
Birckner, Victor (paper): Simple Method for Measuring the Acidity of Cereal Products: Its Application to Sulphured and Unsulphured Oats 33-49
Black myrobalan. See *Terminalia chebula.*
Blight of—
barley, bacterial, effect of dry wheat 386-390
oats, bacterial, effect of dry heat 386-390
Blue aspergillus. See *Aspergillus sydowi.*
Bluegrass, Kentucky. See *Poa pratensis.*
Bombyx mori, experimental host of *Sorosporella uvella* 419, 432-436
Bone ash in poultry rations 394
Botrytis—
bassiana, production of cylindrical conidia 414-415
cinera, method of attack on cells 275
Brain, effect of dourine on 148-149
Brassica oleracea—
capitata, effect of relative length of day and night 566
host of *Sclerotium rolfsii* 127-128
Breazeale, J. F. (paper): Response of Citrus Seedlings in Water Cultures to Salts and Organic Extracts 267-274
Breazeale, J. F., and LeClerc, J. A. (paper): Effect of Lime upon the Sodium-Chlorid Tolerance of Wheat Seedlings 347-356
Brooks, Charles, Cooley, J. S., and Fisher, D. F. (paper): Nature and Control of Apple-Scald 211-240
Buckwheat. See *Fagopyrum vulgare.*
Bull, Sleeter, and Grindley, H. S. (paper): Nitrogen Metabolism of Two-Year-Old Steers 241-254
Burd, John S. (paper): Rate of Absorption of Soil Constituents at Successive Stages of Plant Growth 51-72

Page

Butyrate, ethyl, effect on apples in storage.. 216
Butyric acid. See Acid, butyric.
Byall, S., and Kopeloff, Nicholas (paper): Invertase Activity of Mold Spores as Affected by Concentration and Amount of Inoculum.... 537-542
Cabbage. See *Brassica oleracea*.
Caenurgia—
crassiuscula at light traps.... 477-481
erechtea at light traps.... 477-481
Calasymbolus myops at light traps.... 477-481
Calcite, effect on yield in acid soils.... 121-122
Calcium—
absorption by plant.... 73-117
bicarbonate, effect on root growth of citrus seedlings.... 269-270
carbonate—
effect on—
acid soils.... 119-125
root growth of citrus seedlings.... 269-270
in poultry rations.... 394
toxic limits.... 272-274
chlorid, effect on solutions toxic to citrus seedlings.... 270
effect on permeability of protoplasm.... 273
hydrate, toxity to citrus seedlings.... 271
in *Hordeum* spp.... 55-72, 78-96
in juice of *Sorghum vulgare*.... 17-22
in soils at various moisture contents.... 141-142
lactate in poultry rations.... 394
nitrate—
effect of moisture in substratum on physiological proportion to other salts.... 357-378
toxic limits.... 272-274
oxid—
effect of sodium-bicarbonate tolerance of wheat seedlings.... 353-354
effect on—
sodium-chlorid tolerance of wheat seedlings.... 352-353
sodium-sulphate tolerance of wheat wheat seedlings.... 352-354, 356
ratio to magnesium oxid in acid soil treated with carbonates of calcium and magnesium.... 122-124
sulphate, effect on—
sodium-chlorid tolerance of wheat seedlings.... 352
sodium-sulphate tolerance of wheat seedlings.... 352-353, 356
solutions toxic to citrus seedlings.... 270
Call, L. E., et al. (paper): Losses of Organic Matter in Making Brown and Black Alfalfa 299-304
Calophyllum inophyllum, host fruit of *Ceratitis capitata*.... 442-446
Calosoma beetles. See *Calosoma syncophanta*.
Calosoma—
calidum, host of *Eubiomyia calosomae*.... 483-497
frigidum, larva, not attacked by *Eubiomyia calosomae* in experiment.... 495
peregrinator, host of *Pseudatractocera calosomae*.... 483
scrutator, larva, not attacked by *Eubiomyia calosomae* in experiment.... 495

Page

Calosoma—Continued
sycophanta—
host of *Eubiomyia calosomae*.... 483-497
larva, not attacked by *Eubiomyia calosomae* in experiment.... 495
Campanula spp., hosts of *Sclerotium rolfsii*.... 128
Cannabis sativa, effect of relative length of day and night.... 555
Cantaloupe. See *Cucumis melo*.
Capriola dactylon, host of *Sclerotium rolfsii*.... 127
Capsicum annum, host of *Sclerotium rolfsii*. 127-128
Carabus nemoralis, host of *Eubiomyia calosomae*.... 495
Carambola. See *Averrhoa carambola*.
Carbohydrates in *Sorghum vulgare*.... 4-30
Carbon dioxid—
effect on apple-scald.... 213-215
in acid soils, effect of carbonates of calcium and magnesium.... 122-124
Carbonate—
calcium—
effect on root growth of citrus seedlings. 269-270
in poultry rations.... 394
toxic limits.... 272-274
sodium, toxity to citrus seedlings.... 271
Carbonates of calcium and magnesium, effect on acid soils.... 119-125
Carr, R. H., et al. (paper): Meat Scraps versus Soybean Proteins as a Supplement to Corn for Growing Chicks.... 391-398
Carrot. See *Daucus carota*.
Catocala similis at light traps.... 477-481
Cell—
sap, effect of nutrient solution on.... 102-103
wall, resistance to *Phthium debaryanum*.. 277-295
Cells, average size in three varieties of potatoes.... 279
Ceratitis capitata, in Hawaii during 1918.... 441-446
Cereal—
grains, sources of amino acids.... 391
products, acidity, method of measuring.... 33-49
seeds, treatment by dry heat.... 379-390
Chalcis sp., parasite of *Eubiomyia calosomae*.. 495
Chamyris cerintha at light traps.... 477-481
Cherry, French. See *Eugenia uniflora*.
Chicks, meat scraps versus soybean proteins in rations.... 391-398
Chinese orange. See *Citrus* sp.
Chlorid—
barium, effect on—
sodium-chlorid tolerance of wheat seedlings.... 352
sodium-sulphate tolerance of wheat seedlings.... 352-353, 356
calcium, effect on solutions toxic to citrus seedlings.... 270
ferric, effect on sodium-chlorid tolerance of wheat seedlings.... 352
potassium, effect on—
sodium-bicarbonate tolerance of wheat seedlings.... 353
sodium-chlorid tolerance of wheat seedlings.... 352
sodium-sulphate tolerance of wheat seedlings.... 353

Chlorid—Continued Page
sodium—
in poultry rations ... 394
tolerance of wheat seedlings, effect of lime ... 347–356
Chloridea obsoleta, experimental host of *Sorosporella uvella* ... 432–436
Chlorops—
frit. Syn. *Oscinis frit*.
pusilla. Syn. *Oscinis frit*.
Christie, A. W., and Martin, J. C. (paper): Effect of Variation in Moisture Content on the Water-Extractable Matter of Soils ... 139–143
Chrysanthemum spp., hosts of *Sclerotium rolfsii* ... 128
Chrysophyllum olivaeforme, host fruit of *Ceratitis capitata* ... 442–446
Cirphis—
phragmitidicola at light traps ... 477–481
unipuncta at light traps ... 477–481
Citric acid. See Acid, citric.
Citrullus vulgaris, host of *Sclerotium rolfsii* ... 127–128
Citrus seedlings, response to salts and organic extracts ... 267–274
Citrus sp., host fruit of *Ceratitis capitata* ... 442–446
Clover—
effect of carbonates of calcium and magnesium on yield in acid soils ... 121–122
hay in ration of two-year-old steers ... 241–254
Cleonus punctiventris, host of—
Acremonium cleoni ... 402
Sorosporella uvella ... 400
Cleora pampinaria at light traps ... 477–481
Coerper, Florence M. (paper): Bacterial Blight of Soybean ... 179–194
Coffea arabica, host fruit of *Ceratitis capitata* ... 442–446
Collins, C. W., and Hood, Clifford E. (paper): Life History of Eubiomyia calolomae, a Tachinid Parasite of Calosoma Beetles ... 483–497
Colocasia esculenta, host of *Sclerotium rolfsii* ... 128, 130
Complement-fixation test for dourine ... 145–154
Conner, S. D., and Noyes, H. A. (paper): Natural Carbonates of Calcium and Magnesium in Relation to the Chemical Composition, Bacterial Contents, and Crop-Producing Power of Two Very Acid Soils ... 119–125
Cooley, J. S., et al. (paper): Nature and Control of Apple-Scald ... 211–240
Corn—
ground, in ration of two-year-old steers ... 241–254
meal, acidity ... 36
silage, comparison with sunflower silage ... 327
See *Zea mays*.
Cosmia paleacea at light traps ... 477–481
Cosmos bipinnata, effect of relative length of day and night ... 598
Cotton Rootrot Spots (paper) ... 305–310
Cotton. See *Gossypium hirsutum*.
Crop yields, effect of length of day ... 597
Crude fiber—
in brown and black alfalfa ... 301–303
in cortex and interior tissue of potatoes ... 286–287
in sunflower and corn silage ... 327
Crude protein in yellow-berry wheat ... 167
Cucumber. See *Cucumis sativus*.
Cucumis— Page
melo, host of *Sclerotium rolfsii* ... 127
sativus, host plant of *Oscinis frit* ... 471
Cucurbita spp., hosts of *Sclerotium rolfsii* ... 127–128
Curculio, sugar-beet. See *Cleonus punctiventris*.
Cyanogenesis in Sudan Grass: A Modification of the Francis-Connell Method of Determining Hydrocyanic Acid (paper) ... 447–450
Cyperus strigosus, host plant of *Oscinis frit* ... 471
Cyrtogaster occidentalis, parasite of *Oscinis* spp. ... 471–472
Daphne spp., hosts of *Sclerotium rolfsii* ... 128
Darapsa—
myron at light traps ... 477–481
pholus at light traps ... 477–481
Datana—
ministra at light traps ... 477–481
perspicua at light traps ... 477–481
Daucus carota, effect of relative length of day and night ... 566
Day, effect of length on growth and reproduction in plants ... 553–606
Desiccation, effect on *Bacterium glycineum* ... 188
Determination of Normal Temperatures by Means of the Equation of the Seasonal Temperature Variation and a Modified Thermograph Record (paper) ... 499–510
Development of the Pistillate Spikelet and Fertilization in Zea mays L. (paper) ... 255–266
Dextrose—
in potato tubers attacked by *Pythium debaryanum* ... 277–278
in *Sorghum vulgare* ... 4–30
Diachasma—
fullawayi, parasite of *Ceratitis capitata* ... 441–446
tryoni, parasite of *Ceratitis capitata* ... 441–446
Diacrisia virginica at light traps ... 477–481
Diammonium phosphate, effect on yield in acid soils ... 121–122
Dianthus plumarius, host of *Sclerotium rolfsii* ... 128
Dipotassium phosphate—
effect on yield in acid soils ... 121–122
in poultry rations ... 394
Dipterygia scabriuscula at light traps ... 477–481
Distribution of plants, effect of length of day ... 593–597
d-l-Asparagin in juice of *Sorghum vulgare* ... 21–22
Dolomite, effect on yield in acid soils ... 121–122
Do Mold Spores Contain Enzyms? (paper) 195–209
Doryphora decemlineata, larva, not attacked by *Eubiomyia calosomae* in experiment ... 495
Dourine, effect on—
brain ... 148–149
extraspinal nerve trunks ... 153
spinal cord ... 149–152
spinal ganglia ... 152–153
Dowell, C. T., and Menaul, Paul (paper): Cyanogenesis in Sudan Grass: A Modification of the Francis-Connell Method of Determining Hydrocyanic Acid ... 447–450
Dracocephalum argenese, host of *Sclerotium rolfsii* ... 128
Echinochloa crusgalli, host plant of *Oscinis frit* ... 471

Page

Ecpantheria deflorata at light traps..... 477-481
Edgeworthia papyrifera, host of *Sclerotium rolfsii*..... 128
Edlefsen, N. E., et al. (paper): Determination of Normal Temperatures by Means of the Equation of the Seasonal Temperature Variation and a Modified Thermograph Record..... 499-510
Edson, H. A., and Shapovalov, M. (paper): Temperature Relations of Certain Potato-Rot and Wilt-Producing Fungi..... 511-524
Effect of Lime upon the Sodium-Chlorid Tolerance of Wheat Seedlings (paper)..... 347-356
Effect of Oxidation of Sulphur in Soils on the Solubility of Rock Phosphate and on Nitrification (paper)..... 329-345
Effect of the Relative Length of Day and Night and Other Factors of the Environment on Growth and Reproduction in Plants (paper)..... 553-606
Effect of Variation in Moisture Content on the Water-Extractable Matter of Soils (paper)..... 139-143
Elachiptera nigriceps, found in oats..... 470
Elateridae spp., larvæ, experimental hosts of *Sorosporella uvella*..... 432
Elymus canadensis, host plant of *Oscinis frit*.. 471
Embryo sac, development in *Zea mays*.... 259-261
Emmer. See *Triticum dicoccum*.
Endosperm, development in *Zea mays*..... 263
Enzyms in mold spores..... 195-209
Epilobium angustifolium, host of *Sclerotium rolfsii*..... 128
Eragrostis minor, host plant of *Oscinis frit*.... 471
Erigeron spp., hosts of *Sclerotium rolfsii*..... 128
Eriobotrya japonica, host fruit of *Ceratitis capitata*..... 442-446
Estigmene acraea—
at light traps..... 477-481
larva, not attacked by *Eubiomyia calosomae* in experiment..... 495
Ether extract—
in sunflower and corn silage..... 327
in yellow-berry wheat..... 167
Ethyl—
alcohol, effect on apples in storage..... 215
butyrate, effect on apples in storage..... 216
malate, effect on apples in storage..... 216
Eubiomyia calosomae—
description..... 484-487
distribution..... 487-489
hosts..... 495
life history..... 490-495
natural enemies..... 495
Euchaetias egle at light traps..... 477-481
Euclaena serrata at light traps..... 477-481
Eugenia—
jambos, host fruit of *Ceratitis capitata*..... 442-446
uniflora, host fruit of *Ceratitis capitata*... 442-446
Euparthenos nubilis at light traps..... 477-481
European Frit Fly in North America (paper) 451-474
Euvanessa antiopa, larva, not attacked by *Eubiomyia calosomae* in experiment..... 495
Euxoa tessellata, host of *Sorosporella uvella*. 405

Page

Ewing, S., et al. (paper): Determination of Normal Teperatures by Means of the Equation of the Seasonal Temperature Variation and a Modified Thermograph Record..... 499-510
Expatorium ageratoides, host of *Sclerotium rolfsii*..... 128
Extraspinal nerve trunks, effect of dourine on 153
Fagopyrum vulgare, effect of relative length of day and night..... 600-601
Fat in *Sorghum vulgare*..... 4-30
Feed, brown and black alfalfa..... 303-304
Feltia—
jaculifera, host of *Sorosporella uvella*.., 405, 432-436
spp., at light traps..... 477-481
subgothica, host of *Sorosporella uvella*.. 405, 432-436
Ferric—
chlorid, effect on sodium-chlorid tolerance of wheat seedlings..... 352
oxid, effect of sodium-sulphate tolerance of wheat seedlings..... 353
Fertilization in *Zea mays*..... 255-266
Fertilizer, effect of moisture in substrata... 357-378
Fescue, meadow. See *Festuca elatior*.
Festuca elatior, host plant of *Oscinis frit*..... 471
Fiber, crude—
in brown and black alfalfa..... 301-303
in sunflower and corn silage..... 327
Ficus carica, host of *Sclerotium rolfsii*..... 128
Fisher, D. F., et al. (paper): Nature and Control of Apple-Scald..... 211-240
Fly, frit. See *Oscinis frit*.
Formad, Robert J. (paper): Pathology of Dourine with Special Reference to the Microscopic Changes in Nerve Tissues and Other Structures..... 145-154
Formic acid. See Acid, formic.
Fragaria spp., hosts of—
Oscinis frit..... 471
Sclerotium rolfsii..... 128
Freesia refracta, effect of relative length of day and night..... 599
French cherry. See *Eugenia uniflora*.
Frit fly. See *Oscinis frit*.
Fruit fly, Mediterranean. See *Ceratitis capitata*.
Fungi—
potato-rot, temperature relations..... 511-524
wilt-producing, temperature relations... 511-524
Further Studies of Sorosporella uvella, a Fungous Parasite of Noctuid Larvæ (paper) 399-440
Fusarium—
acremoniopsis, similarity to *Sorosporella uvella*..... 403
coeruleum—
effect on sugar content of host..... 277
temperature relations..... 511-524
discolor, var. *sulphureum*, temperature relations..... 512-524
eumartii, temperature relations..... 512-524
oxysporum—
effect on sugar content of host..... 277
temperature relations..... 512-524
radicicola—
effect on sugar content of host..... 277
temperature relations..... 512-524

Page

Fusarium—Continued
spp., effect of dry heat..... 381–390
trichothecioides, temperature relations.... 512–524
Galactans in juice of *Sorghum vulgare*..... 16–22
Garner, W. W., and Allard, H. A. (paper): Effect of the Relative Length of Day and Night and Other Factors of the Environment on Growth and Reproduction in Plants..... 553–606
Germination of Barley Pollen (paper)..... 525–535
Gibberella saubinetii, effect of dry heat..... 381–390
Globulins, protein in *Zea mays*..... 391
Glumerot of wheat, basal..... 543–552
Glutelin, protein in *Zea mays*..... 391
Glycine hispida, host of *Bacterium glycineum*. 179–194
Glycocoll in juice of *Sorghum vulgare*..... 21–22
Goldenrod. See *Solidago juncea*.
Gossypium hirsutum, young seedlings, host of *Sclerotium rolfsii*..... 127–128
Grass—
barnyard. *Echinochloa crusgalli*.
Bermuda. See *Capriola dactylon*.
quack. See *Agropyrum repens*.
rye. *Elymus canadensis*.
slough. *Spartina michauxiana*.
Sudan, cyanogenesis..... 447–450
Grasshoppers, nymphs and adults, experimental hosts of *Sorosporella uvella*..... 432
Grindley, H. S., and Bull, Sleeter (paper): Nitrogen Metabolism of Two-Year-Old Steers..... 241–254
Grubs, white. See *Lachnosterna* spp.
Guava—
strawberry. See *Psidium cattleianum*.
See *Psidium guajava*.
Gypsum, effect on tolerance of white lupine and alfalfa for toxic salts..... 273
Halisidota tessellaris at light traps..... 477–481
Harlan, Harry V., and Anthony, Stephen (paper): Germination of Barley Pollen... 525–535
Harpyia borealis at light traps..... 477–481
Harrisina americana at light traps..... 478–481
Harvey, Rodney B., and Hawkins, Lon A. (paper): Physiological Study of the Parasitism of Pythium debaryanum Hesse on the Potato Tuber..... 275–298
Hawkins, Lon A., and Harvey, Rodney B. (paper): Physiological Study of the Parasitism of Pythium debaryanum Hesse on the Potato Tuber..... 275–298
Hay, clover, in ration of two-year-old steers. 241–254
Heat, dry, effect on cereal seeds..... 379–390
Heinrich, Carl (paper): Note on the European Corn Borer (Pyrausta nubilalis Hübner) and Its Nearest American Allies, with Description of Larvæ, Pupæ, and One New Species..... 171–178
Helminthosporium—
avenae-sativae, effect of dry heat..... 387–390
gramineum, effect of dry heat..... 387–390
sativum, effect of dry heat..... 381–390
spp., effect of dry heat..... 381–390
teres, effect of dry heat..... 387–390
Helminthosporium leafblotch of oats, effect of dry heat..... 387–390
Hemp. See *Cannabis sativa*.
Hempweed, climbing. See *Mikania scandens*.

Page

Hibiscus moscheutos, effect of relative length of day and night..... 566
Hoagland, D. R. (paper): Relation of the Concentration and Reaction of the Nutrient Medium to the Growth and Absorption of the Plant..... 73–117
Holm, G. E., et al. (paper): Notes on the Composition of the Sorghum Plant..... 1–31
Hood, Clifford E., and Collins, C. W. (paper): Life History of Eubiomyia calosomae, a Tachinid Parasite of Calosoma Beetles.. 483–497
Hops. See *Humulus japonicus*.
Hordeum spp.—
analysis at successive stages of growth.... 55–72
bacterial blight, effect of dry heat..... 386–390
germination of pollen..... 525–535
host plant of *Oscinis frit*..... 471
Humidity, effect on apple-scald..... 211–212
Humulus japonicus, effect of relative length of day and night..... 555
Hydrangea pani, host of *Sclerotium rolfsii*.... 128
Hydrate—
calcium, toxity to citrus seedlings..... 271
sodium, toxity to citrus seedlings..... 271
Hydrocyanic acid. See Acid, hydrocyanic.
Hydrogen-ion concentration of—
nutrient solutions, effect of plant absorption..... 101–117
potato juice, effect on growth of *Pythium debaryanum*..... 281
Hyphantria—
cunea, larva, not attacked by *Eubiomyia calosomae* in experiment..... 495
textor—
at light traps..... 477–481
experimental host of *Sorosporella uvella*. 432–436
Hypoprepia miniata at light traps..... 477–481
Ice-water method of measuring acidity of cereal products..... 33–49
Indian almond. See *Terminalia catappa*.
Invertase Activity of Mold Spores as Affected by Concentration and Amount of Inoculum (paper)..... 537–542
Iris florentina, effect of relative length of day and night..... 598
Iron sulphate in poultry rations..... 394
Ironweed. See *Vernonia novaboracensis*.
Isaria farinosa, production of cylindrical conidia..... 414–415
Isia isabella at light traps..... 477–481
Johnson, A. G., and Atanasoff, D. (paper): Treatment of Cereal Seeds by Dry Heat..379–390
Kamani. See *Calophyllum inophyllum*.
Kennard, D. C., et al. (paper): Meat Scraps versus Soybean Proteins as a Supplement to Corn for Growing Chicks..... 391–398
Kentucky bluegrass. See *Poa pratensis*.
Kopeloff, Nicholas, and Byall, S. (paper): Invertase Activity of Mold Spores as Affected by Concentration and Amount of Inoculum..... 537–542
Kopeloff, Nicholas, and Kopeloff, Lillian (paper): Do Mold Spores Contain Enzyms..... 195–209
Lachnosterna—
sp., larva, not attacked by *Eubiomyia calosomae* in experiment..... 495
spp., experimental hosts of *Sorosporella uvella*..... 419, 432

Page

Lactate, calcium, in poultry rations..... 394
Lactic acid. See Acid, lactic.
Larvæ, noctuid, parasitized by *Sorosporella uvella*..... 399-440
Latuca sativa, effect of relative length of day and night..... 566
Leaf, satin. See *Chrysophyllum olivaeforme*.
Leafblotch of oats, Helminthosporium, effect of dry heat..... 387-390
LeClerc, J. A., and Breazeale, J. F. (paper): Effect of Lime upon the Sodium-Chlorid Tolerance of Wheat Seedlings..... 347-356
Lepidoptera at Light Traps (paper)..... 475-481
Lettuce. See *Lactuca sativa*.
Leucania unipuncta, experimental host of *Sorosporella uvella*..... 432-436
Levulose in *Sorghum vulgare*..... 4-30
Life History of Eubiomyia calosomae, a Tachinid Parasite of Calosoma Beetles (paper)..... 483-497
Light, artificial, effect on growth of plants.. 597-601
Light intensity, contrast with length of day 581-588
Light traps for taking Lepidoptera..... 475-481
Ligyrus gibbosus, host of *Sorosporella uvella*.. 402
Lima beans. See *Phaseolus lunatus*.
Lime, effect on—
  sodium-chlorid tolerance of wheat seedlings..... 347-356
  solutions toxic to citrus seedlings..... 270
  tolerance of white lupine and alfalfa for toxic salts..... 273
Linseed oil meal in ration of two-year-old steers..... 241-254
l-Leucin in juice of *Sorghum vulgare*..... 21-22
Loquat. See *Eriobotrya japonica*.
Losses of Organic Matter in Making Brown and Black Alfalfa (paper)..... 299-304
Love-grass, low. See *Eragrostis minor*.
Low love-grass. See *Eragrostis minor*.
Lycopersicon esculentum, host of *Sclerotium rolfsii*..... 127-128
Lysin, amino acid lacking in zein..... 391
McCulloch, Lucia (paper): Basal Glumerot of Wheat..... 543-552
Magnesite, effect on yield in acid soils.... 121-122
Magnesium—
  absorption by plant..... 73-117
  carbonates of, effect on acid soils..... 119-125
  effect on permeability of protoplasm..... 273
  in *Hordeum* spp..... 55-72, 78-96
  in juice of *Sorghum vulgare*..... 17-22
  in soils at various moisture contents..... 141-142
  oxid, ratio to calcium oxid in acid soils treated with carbonates of calcium and magnesium..... 122-124
  sulphate—
    effect of moisture in substratum on physiological proportion to other salts..... 357-378
    effect on—
      sodium-bicarbonate tolerance of wheat seedlings..... 353
      sodium-chlorid tolerance of wheat seedlings..... 352
      sodium-sulphate tolerance of wheat seedlings..... 352-353, 356
    in poultry rations..... 394

Page

Malate, ethyl, effect on apples in storage..... 216
Malic acid. See Acid, malic.
Mamestra—
  adjuncta at light traps..... 477-481
  meditata at light traps..... 477-481
  picta at light traps..... 477-481
Mangifera indica, host fruit of *Ceratitis capitata*..... 442-446
Mango. See *Mangifera indica*.
Martin, J. C., and Christie, A. W. (paper): Effect of Variation in Moisture Content on the Water-Extractable Matter of Soils... 139-143
Massospora staritzii, similarity to *Sorosporella uvella*..... 402
Meadow fescue. See *Festuca elatior*.
Meal, linseed oil, in ration of two-year-old steers..... 241-254
Meat Scraps versus Soybean Proteins as a Supplement to Corn for Growing Chicks (paper)..... 391-398
Medlar, West Indian. See *Mimusops elengi*.
Meliana diffusa at light traps..... 478-481
Menaul, Paul, and Dowell, C. T. (paper): Cyanogenesis in Sudan Grass: A Modification of the Francis-Connell Method of Determining Hydrocyanic Acid..... 447-450
Metabolism of two-year-old steers..... 241-254
Metarrhizium anisopliae, parasite of *Cleonus* spp..... 404
Mikania scandens, effect of relative length of day and night..... 564-565, 577
Miller, Edwin C. (paper)..... 255-266
Mimusops elengi, host fruit of *Ceratitis capitata*..... 442-446
Moisture—
  effect of variation on water-extractable matter of soils..... 139-143
  effect on—
    Bacterium glycineum..... 188
    salt balance in substrata..... 357-378
  in alfalfa at time of stacking..... 300
  in brown and black alfalfa..... 301
  in sunflower silage..... 326-327
  in yellow-berry wheat..... 167
Mold spores, enzymic activity..... 195-209, 537-542
Musca—
  domestica, larvæ, experimental hosts of *Sorosporella uvella*..... 432
  frit. Syn. *Oscinis frit*.
Myrobalan, black. See *Terminalia chebula*.
Nadata gibbosa at light traps..... 477-481
Natural Carbonates of Calcium and Magnesium in Relation to the Chemical Composition, Bacterial Contents, and Crop-Producing Power of Two Very Acid Soils (paper)..... 119-125
Nature and Control of Apple-Scald (paper). 211-240
Neidig, Ray E., and Vance, Lulu E. (paper): Sunflower Silage..... 325-327
Nelumbo lutea, host of *Pyrausta ainsliei*..... 175
Nerve tissues, effect of dourine..... 145-154
Netblotch of barley, effect of dry heat..... 387-390
Nicotiana—
  rustica, effect of relative length of day and night..... 562-563
  tabacum, effect of relative length of day and night..... 556-557, 562-563

Page

Night, effect of length on growth and reproduction in plants 553-606
Nitrate—
absorption by plant 73-117
ammonium, effect on yield in acid soils .. 121-122
calcium—
effect of moisture in substratum on physiological proportion to other salts 357-378
toxic limits 272-274
in soils at various moisture contents 141
nitrogen in water-free composts 334-337
potassium, toxic limits 272-274
sodium—
effect on—
sodium-bicarbonate tolerance of wheat seedlings 353
sodium-chlorid tolerance of wheat seedlings 352
sodium-sulphate tolerance of wheat seedlings 353
toxic limits 272-274
Nitrates—
in acid soils, effect of carbonates of calcium and magnesium 122-124
toxic limits 272-274
Nitrification, effect of oxidation of sulphur. 329-345
Nitrite nitrogen in water-free composts 334-337
Nitrogen—
absorption by plant 73-117
in *Hordeum* spp. 55-72, 78-96
in poultry feces 394
in *Sorghum vulgare* 4-30
nitrate, in water-free composts 334-337
nitrite, in water-free composts 334-337
Nitrogen Metabolism of Two-Year-Old Steers (paper) 241-254
Nitrogen-free extract—
in brown and black alfalfa 301-303
in *Sorghum vulgare* 4-30
in sunflower and corn silage 327
in yellow-berry wheat 167
Noctua c-nigrum—
at light traps 477-481
host of *Sorosporella uvella* 405, 432-436
Noctuid larvæ, parasitized by *Sorosporella uvella* 399-440
Nonsugar solids in juice of *Sorghum vulgare* .. 16-22
Noronhia emarginata, host fruit of *Ceratitis capitata* 442-446
Notes on the Composition of the Sorghum Plant (paper) 1-31
Notes on the European Corn Borer (Pyrausta nubilalis Hübner) and Its Nearest American Allies, with Description of Larvæ, Pupæ, and One New Species (paper) 171-178
Noyes, H. A., and Conner, S. D. (paper): Natural Carbonates of Calcium and Magnesium in Relation to the Chemical Composition, Bacterial Contents, and Crop-Producing Power of Two Very Acid Soils. 119-125
Oats. See *Avena sativa*.
Oleander, yellow. See *Thevetia neriifolia*.
Opius humilis, parasite of *Ceratitis capitata* .. 441-446
Orange, Chinese. See *Citrus* sp.
Organic extracts, effect on citrus seedlings in water cultures 267-274

Page

Organic matter—
effect on solutions toxic to citrus solutions . 270
loss in making brown and black alfalfa .. 299-304
Oscinis—
atricilla, pest of oats 466
carbonaria. Syn. *Oscinis frit*.
frit—
distribution 453-454
food plants 464-465
instars 454-457
life history 458-463
parasites 471-472
nigra. Syn. *Oscinis frit*.
nitidissima. Syn. *Oscinis carbonaria*.
pusilla. Syn. *Oscinis frit*.
soror. Syn. *Oscinis frit*.
umbrosa, found in oats 470
variabilis. Syn. *Oscinis frit*.
Oxalic acid. See Acid, oxalic.
Oxid—
aluminum, effect of sodium-sulphate tolerance of wheat seedlings 353
calcium—
effect on—
sodium-bicarbonate tolerance of wheat seedlings 353-354
sodium-chlorid tolerance of wheat seedlings 352-353
sodium-sulphate tolerance of wheat seedlings 352-354, 356
ratio to magnesium oxid in acid soils treated with carbonates of calcium and magnesium 122-124
ferric, effect of sodium-sulphate tolerance of wheat seedlings 353
magnesium, ratio to calcium oxid in acid soils treated with carbonates of calcium and magnesium 122-124
Oxidation of sulphur in soils, effect on solubility of rock phosphate and on nitrification 329-345
Oxygen, effect on apple-scald 212
Ozone, effect on apple-scald 212-213
Ozonium omnivorum, cause of cotton rootrot. 305-310
Papaipema nitela at light traps 477-481
Pareuchaetes tenera at light traps 477-481
Pathology of Dourine with Special Reference to the Microscopic Changes in Nerve Tissues and Other Structures (paper) 145-154
Peach. See *Amygdalus persica*.
Peanut. See *Arachis hypogaea*.
Peat extract, effect on root elongation of citrus seedlings 268-269
Penicillium expansum, enzymic activity of spores 195-209, 538-542
Penstemon spp., hosts of *Sclerotium rolfsii* 129
Pentosans—
in cortex and interior tissue of potatoes .. 286-287
in juice of *Sorghum vulgare* 17-22
in potato tubers attacked by *Pythium debaryanum* 277-278
in yellow-berry wheat 167
Pepper. See *Capsicum annum*.
Perennials, relationship to annuals and biennials 579-581
Peridroma saucia, experimental host of *Sorosporella uvella* 432-436

Phaseolus— Page
lunatus, effect of relative length of day and night ... 600
vulgaris—
effect of relative length of day and night. 565, 577-578
host of *Sclerotium rolfsii* ... 128
Philips, A. G., Carr, R. H., and Kennard, D. C. (paper): Meat Scraps versus Soybean Proteins as a Supplement to Corn for Growing Chicks ... 391-398
Phlegethontius—
5-maculata at light traps ... 477-481
sexta, experimental host of *Sorosporella uvella* ... 432-436
Phleum pratense, host plant of *Oscinis frit* ... 471
Phlox sublata, host of *Sclerotium rolfsii* ... 129
Pholus pandorus at light traps ... 477-481
Phosphate—
absorption by plant ... 73-117
diammonium, effect on yield in acid soils. 121-122
dipotassium—
effect on yield in acid soils ... 121-122
in poultry rations ... 394
in soils at various moisture contents ... 141-142
potassium, effect of moisture in substratum on physiological proportion to other salts ... 357-378
rock, effect of oxidation of sulphur on solubility ... 329-345
sodium, effect on sodium-chlorid tolerance of wheat seedlings ... 352
Phosphorus—
in *Hordeum* spp ... 55-72, 78-96
in *Sorghum vulgare* ... 4-30
in water-free composts ... 331-340
Photoperiod, new term for favorable length of day ... 603
Photoperiodism, new term for response of organism to relative length of day and night ... 603
Phymatotrichum omnivorum. Syn. *Ozonium omnivorum*.
Phytophthora infestans, resistance of potatoes to ... 281
Pistillate spikelet, development in *Zea mays* ... 255-266
Plant—
distribution, effect of length of day ... 593-597
growth and reproduction, effect of length of day and night ... 553-606
reproduction, effect of length of day and night ... 572-578
Poa pratensis, host plant of *Oscinis frit* ... 471
Polia renigera at light traps ... 477-481
Pollen, barley, germination ... 525-535
Polysaccharides in juice of *Sorghum vulgare* ... 16-22
Porthetria dispar, larva not attacked by *Eubiomyia calosomae* in experiment ... 495
Potash in *Sorghum vulgare* ... 4-30
Potassium—
absorption by plant ... 73-117
alum, effect on sodium-chlorid tolerance of wheat seedlings ... 352
chlorid, effect on—
sodium-bicarbonate tolerance of wheat seedlings ... 353
sodium-chlorid tolerance of wheat seedlings ... 352

Potassium—Continued Page
chlorid, effect on—Continued
sodium-sulphate tolerance of wheat seedlings ... 353
in *Hordeum* spp ... 55-72, 78-96
in soils at various moisture contents ... 141-142
in *Sorghum vulgare* ... 4-30
nitrate, toxic limits ... 272-274
phosphate, effect of moisture in substratum on physiological proportion to other salts 357-378
Potato—
sweet, host of *Sclerotium rolfsii* ... 127-128
See *Solanum tuberosum*.
Potato-rot fungi, temperature relations ... 511-524
Prodenia—
commelinae at light traps ... 477-481
eridania, experimental host of *Sorosporella uvella* ... 420, 437
ornithogalli at light traps ... 477-481
Propionic acid. See Acid, propionic.
Protein—
crude, in yellow-berry wheat ... 167
in brown and black alfalfa ... 301-303
in gain of two-year-old steers ... 251-252
in ration of two-year-old steers ... 242-251
in *Sorghum vulgare* ... 4-30
in sunflower and corn silage ... 327
Proteins, soybean, comparison with meat scraps as supplement to corn for growing chicks ... 391-398
Pseudatractocera calosomae, parasite of *Calosoma calidum* ... 483-484
Pseudomonas—
azenae, effect of dry heat ... 386-390
glycineum. Syn. *Bacterium glycineum*.
Psidium—
cattleianum, host fruit of *Ceratitis capitata*. 442-446
guajava, host fruit of *Ceratitis capitata* ... 442-446
Physiological Study of the Parasitism of Pythium debaryanum Hesse on the Potato Tuber (paper) ... 275-298
Pyrausta ainslii, n. sp ... 175-176
Pythium debaryanum—
effect on starch, sugar, and pentosan content of potatoes ... 277-278
method of growth ... 291-292
physiology ... 275-298
rate of growth ... 278-295
effect of—
corking ... 287-288
hydrogen-ion concentration of potato juice ... 281
resistance of cell walls ... 281-295
Pyrausta—
nelumbialis. Syn. *Pyrausta ainslii* and *Pyrausta penitalis*.
nubilalis—
adult ... 173-174
larva ... 174
pupa ... 174
penitalis—
adult ... 176-177
larva ... 177
pupa ... 177
spp.—
adult ... 171-172
larva ... 172-173
pupa ... 172
Pyrrhia umbra at light traps ... 477-481

Page

Quack grass. See *Agropyrum repens*.
Radish. See *Raphanus sativus*.
Ragweed. See *Ambrosia artemisiifolia*.
Raphanus sativus—
effect of relative length of day and night. 565–566
host of *Sclerotium rolfsii*. 127
Rate of Absorption of Soil Constituents at Successive Stages of Plant Growth (paper). 51–72
Recent Studies on Sclerotium rolfsii Sacc. (paper). 127–138
Reducing sugar in potato tubers attacked by *Pythium debaryanum*. 277–278
Relation of Moisture in Solid Substrata to Physiological Salt Balance for Plants and to the Relative Plant-Producing Value of Various Salt Proportions (paper). 357–378
Relation of the Concentration and Reaction of the Nutrient Medium to the Growth and Absorption of the Plant (paper). 73–117
Reproduction, plant, effect of relative length of day and night. 572–578
Response of Citrus Seedlings in Water Cultures to Salts and Organic Extracts (paper). 267–274
Reticulitermes sp., experimental host of *Sorosporella uvella*. 432
Rheum rhaponticum, host of *Sclerotium rolfsii*. 129
Rhizopus nigricans, effect on sugar content of host. 277
Rhodophora gaurae at light traps. 477–481
Rhopalosiphum—
padi. Syn. *Rhopalosiphum prunifoliae*.
prunifoliae—
egg. 311–312
fall migrant. 320–321
feeding of ovipara. 323–324
male. 321–322
ovipara. 321
oviposition. 323
sexes. 322–323
spring alate form. 314
spring apterous form. 314–315
spring migrant. 315
stem mother. 312–314
summer alate form. 319
summer apterous form. 317–319
summer intermediate form. 319
Rhyssalus oscinidis, parasite of *Agromyza melampyga*. 472
Roberts, Herbert F. (paper): Yellow-Berry in Hard Winter Wheat. 155–169
Rootrot of cotton. 305–310
Rose-apple. See *Eugenia jambos*.
Rye. See *Secale cereale*.
Rye grass. See *Elymus canadensis*.
Saccharum officinarum, host of *Sclerotium rolfsii*. 129
Salmon, S. C., et al. (paper): Losses of Organic Matter in Making Brown and Black Alfalfa. 299–304
Salts—
alkaline, toxic limits. 271
effect on citrus seedlings in water cultures. 267–274
Satin-leaf. See *Chrysophyllum olivaeforme*.
Schinia marginata at light traps. 477–481
Sclerotinia—
fructigenia, effect on sugar content of host. 277
libertiania—
method of attack on cells. 275
resemblance to *Sclerotium rolfsii*. 135
Sclerotium rolfsii—
hosts. 128–129
mode of infection. 132–133
period of incubation. 132
racial strains. 129–131
sexuality. 136
symptoms. 133–135
Scofield, C. S. (paper): Cotton Rootrot Spots. 305–310
Secale cereale—
germination of pollen. 526
host plant of *Oscinis frit*. 471
Sedge. See *Cyperus strigosus*.
Seedlings—
citrus, response to salts and organic extracts. 267–274
wheat, effect of lime on sodium-chlorid tolerance. 347–356
Seeds, cereals, treatment by dry heat. 379–390
Shapovalov, M., and Edson, H. A. (paper): Temperature Relations of Certain Potato-Rot and Wilt-Producing Fungi. 511–524
Shedd, O. M. (paper): Effect of Oxidation of Sulphur in Soils on the Solubility of Rock Phosphate and on Nitrification. 329–345
Shive, John W. (paper): Relation of Moisture in Solid Substrata to Physiological Salt Balance for Plants and to the Relative Plant-Producing Value of Various Salt Proportions. 357–378
Silage—
corn, comparison with sunflower silage. 327
sunflower. 325–327
Silkworm. See *Bombyx mori*.
Simple Method for Measuring the Acidity of Cereal Products: Its Application to Sulphured and Unsulphured Oats (paper). 33–49
Sirup, sorghum, composition. 1–31
Slender wheat-grass. See *Agropyrum tenerum*.
Slough grass. See *Spartina michauxiana*.
Smut, effect of dry heat. 390
Sodium—
bicarbonate, effect of—
calcium oxid on toxicity to wheat seedlings. 353
magnesium sulphate on toxicity to wheat seedlings. 353
potassium chlorid on toxicity to wheat seedlings. 353
sodium nitrate on toxicity to wheat seedlings. 353
carbonate, toxicity to citrus seedlings. 271
chlorid—
in poultry rations. 394
tolerance of wheat seedlings, effect of lime. 347–356
hydrate, toxity to citrus seedlings. 271
nitrate—
effect on
sodium-bicarbonate tolerance of wheat seedlings. 353
sodium-chlorid tolerance of wheat seedlings. 352
sodium-sulphate tolerance of wheat seedlings. 353
toxic limits. 272–274
phosphate, effect on sodium-chlorid tolerance of wheat seedlings. 352

Sodium—Continued Page
sulphate, effect of—
aluminum oxid on toxicity to wheat seedlings 352–353, 356
barium chlorid on toxicity to wheat seedlings 352–353, 356
calcium oxid on toxicity to wheat seedlings 352–353, 356
calcium sulphate on toxicity to wheat seedlings 352–353, 356
ferric oxid on toxicity to wheat seedlings 352–353, 356
magnesium sulphate on toxicity to wheat seedlings 352–353, 356
potassium chlorid on toxicity to wheat seedlings 352–353, 356
sodium nitrate on toxicity to wheat seedlings 352–353, 356
Soil—
acid, effect of carbonates of calcium and magnesium 119–125
"alkali," effect of lime on salts 347
constituents, rate of absorption at successive stages of plant growth 51–72
effect of—
oxidation of sulphur 329–345
variation in moisture content on water-extractable matter 139–143
relation of moisture in substrata to salt balance 357–378
Soja max—
bacterial blight 179–194
effect of relative length of day and night. 557–558, 560–562, 569–570
Solanum—
melanœna, host of *Sclerotium rolfsii* 129
tuberosum, host of—
Pythium debaryanum 275–298
Sclerotium rolfsii 129
Solidago juncea, effect of relative length of day and night 567
Sorghum vulgare, composition of—
juice 13–27
plant 1–12
Sorosporella—
agrotidis. Syn. *Sorosporella uvella*.
uvella—
fungous parasite of noctuid larvæ 399–440
culture 422–430
inoculation experiments 430–436
life history 405–416
phagocytosis 417–422
Sulphate, magnesium, in poultry rations 394
Soybean—
proteins, comparison with meat scraps as supplement to corn for growing chicks. 391–398
See *Soja max*.
Spartina michauxiana, host plant of *Oscinis frit* 471
Speare, A. T. (paper): Further Studies of Sorosporella uvella, a Fungous Parasite of Noctuid Larvæ 399–440
Species, new 175, 188, 549
Sphaeropsis malorum, effect on sugar content of host 277
Spikelet, pistillate, development in *Zea mays* 255–266
Spinal— Page
cord, effect of dourine on 149–152
ganglia, effect of dourine on 152–153
Spores, mold, enzymic activity 195–209, 537–542
Spotblotch of barley, effect of dry heat 387–390
Spriestersbach, D. O., et al. (paper): Notes on the Composition of the Sorghum Plant 1–31
Starch—
in potato tubers attacked by *Pythium debaryanum* 277–278
in *Sorghum vulgare* 4–30
in yellow-berry wheat 167
Steers, nitrogen metabolism 241–254
Strawberry—
guava. See *Psidium cattleianum*.
See *Fragaria* spp.
Stripe disease of barley, effect of dry heat 387–390
Substrata, effect of moisture on salt balance 357–378
Sucrose—
in *Sorghum vulgare* 4–30
loss in sugar solution due to invertase activity of mold spores 538–542
Sudan grass. See Grass, Sudan.
Sugar in potato tubers attacked by *Pythium debaryanum* 277–278
Sugars, reducing, change due to invertase activity of mold spores 538–542
Sulphur in poultry rations 394
Sulphuric acid. See Acid, sulphuric.
Sulphate—
absorption by plant 73–117
ammonium, toxic limits 272–274
calcium, effect on—
sodium-chlorid tolerance of wheat seedlings 352
sodium-sulphate tolerance of wheat seedlings 352–353, 356
solutions toxic to citrus seedlings 270
in soils at various moisture contents 141
magnesium—
effect of moisture in substratum on physiological proportion to other salts 357–378
effect on—
sodium-bicarbonate tolerance of wheat seedlings 353
sodium-chlorid tolerance of wheat seedlings 352
sodium-sulphate tolerance of wheat seedlings 352–353, 356
iron, in poultry rations 394
sodium, effect of—
aluminum oxid on toxicity to wheat seedlings 352–353, 356
barium chlorid on toxicity to wheat seedlings 352–353, 356
calcium oxid on toxicity to wheat seedlings 352–353, 356
calcium sulphate on toxicity to wheat seedlings 352–353, 356
ferric oxid on toxicity to wheat seedlings 352–353, 356
magnesium sulphate on toxicity to wheat seedlings 352–358, 356
potassium chlorid on toxicity to wheat seedlings 352–353, 356
sodium nitrate on toxicity to wheat seedlings 352–353, 356
sulphur in water-free composts 334–339

Page

Sulphur—
oxidation in soils ... 329-345
sulphate, in water-free composts ... 334-339
Sulphured oats, method of measuring acidity ... 33-49
Sunflower silage—
acidity ... 326
comparison with corn silage ... 327
Sunflower Silage (paper) ... 325-327
Swanson, C. O., Call, L. E., and Salmon, S. C. (paper): Losses of Organic Matter in Making Brown and Black Alfalfa ... 299-304
Sweet potato, host of *Sclerotium rolfsii* ... 127-128
Tarache aprica at light traps ... 477-481
Tarichium—
megaspermum, type of genus Tarichium ... 401
uvella. Syn. *Sorosporella uvella*.
Tartaric acid. See Acid, tartaric.
Taubenhaus, J. J. (paper): Recent Studies on Sclerotium rolfsii Sacc ... 127-138
Temperature—
effect on—
apple-scald ... 219-220, 223-225
Bacterium glycineum ... 187-188
cereal seeds ... 379-390
normal, means of determining ... 499-510
Temperature Relations of Certain Potato-Rot and Wilt-Producing Fungi (paper) ... 511-524
Terminalia—
catappa, host fruit of *Ceratitis capitata* ... 442-446
chebula, host fruit of *Ceratitis capitata* ... 442-446
Tetracis crocallata at light traps ... 478-481
Tetrastichus giffardianus, parasite of *Ceratitis capitata* ... 441-446
Thevetia neriifolia, host fruit of *Ceratitis capitata* ... 442-446
Timothy. See *Phleum pratense*.
Tobacco. See *Nicotiana tabacum*.
Tomato. See *Lycopersicon esculentum*.
Toxic limits of—
acids ... 272
alkaline salts ... 271
ammonium sulphate ... 272-274
nitrates ... 272-274
Treatment of Cereal Seeds by Dry Heat (paper) ... 379-390
Triticum—
aestivum—
effect of carbonates of calcium and magnesium on yield in acid soils ... 121-122
yellow-berry ... 155-169
dicoccum, host plant of *Oscinis frit* ... 471
sp.—
host plant of *Oscinis frit* ... 465-471
seedlings, effect of lime on sodium-chlorid tolerance ... 347-356
vulgare, basal glumerot ... 543-552
Trypanosoma equiperdum, cause of dourine. 145-154
Tryptophane, amino acid lacking in zein ... 391
Turner, W. B. (paper): Lepidoptera at Light Traps ... 475-481
Turner, W. F., and Baker, A. C. (paper): Apple-Grain Aphis ... 311-324
Unsulphured oats, method of measuring acidity ... 33-49
Utetheisa bella at light traps ... 477-481
Vance, Lulu E., and Neidig, Ray E. (paper): Sunflower Silage ... 325-327

Page

Vernonia noveboracensis, host plant of *Oscinis frit* ... 471
Verticillium albo-atrum, temperature relations ... 512-524
Vigna sinensis, host of *Sclerotium rolfsii* ... 129
Viola—
fimbriatula, effect of relative length of day and night ... 567
odorata, host of *Sclerotium rolfsii* ... 129
papilionacea, effect of relative length of day and night ... 599-600
Violets—
wild. See *Viola papilionacea*.
See *Viola fimbriatula*.
Viviania—
cinerea. Syn. *Biomyia georgiae*.
georgiae. Syn. *Biomyia georgiae*.
Water-extractable matter of soils, effect of variation in moisture content ... 139-143
Watermelon. See *Citrullus vulgaris*.
West, F. L., Edlefsen, N. E., and Ewing, S. (paper): Determination of Normal Temperatures by Means of the Equation of the Seasonal Temperature Variation and a Modified Thermograph Record ... 499-510
West, R. M., et al. (paper): Notes on the Composition of the Sorghum Plant ... 1-31
West Indian medlar. See *Mimusops elengi*.
Wheat. See *Triticum* spp.
Wheat-grass—
awned. See *Agropyrum caninum*.
slender. See *Agropyrum tenerum*.
Wheatscab, effect of dry heat ... 387-390
White grubs. See *Lachnosterna* spp.
Willaman, J. J., West, R. M., Spiestersbach, D. O., and Holm, G. E. (paper): Notes on the Composition of the Sorghum Plant ... 1-31
Willard, H. F. (paper): Work and Parasitism of the Mediterranean Fruit Fly in Hawaii during 1918 ... 441-446
Wilt-producing fungi, temperature relations. 511-524
Winter wheat. See *Triticum aestivum*.
Work and Parasitism of the Mediterranean Fruit Fly in Hawaii during 1918 (paper). 441-464
Worm, army. See *Prodenia eridania*.
Xanthotype crocataria at light traps ... 477-481
Xanthosoma sagitifolium, host of *Sclerotium rolfsii* ... 129, 130
Xylan in juice of *Sorghum vulgare* ... 15-27
Yellow-berry—
chemical composition of kernels ... 167
physical characters of kernels ... 163-166
Yellow-Berry in Hard Winter Wheat (paper) 155-169
Yellow oleander. See *Thevetia neriifolia*.
Ypsia undularis at light traps ... 477-481
Zea mays—
development of—
embryo and endosperm ... 263
embryo sac ... 259-261
pistillate spikelet and fertilization ... 255-266
silk and pollen tube ... 261-262
effect of air on pollen ... 533
fertilization ... 263
host of—
Oscinis frit ... 471
Sclerotium rolfsii ... 127-128
poultry rations, supplemented by meat scraps and soy bean proteins ... 391-398
Zein, protein in *Zea mays* ... 391